



#### WHO WE ARE

Established in 2007, Advenser helps construction companies, general contractors, architects & engineers, integrate BIM into their projects seamlessly within their predefined timelines and budget, bridging the gap between concept & constructability.

#### **Mission**

To provide services to customers globally with cutting edge technologies and grantees cost savings.

#### Vision


To be recognized as a leading Business Process Outsourcing service provider delivering exemplary services.








## **OUR CLIENT BASE**









## **ADVENSER DIFFERENTIATORS**

**©** Comprehensive Set Of BIM Solutions

Refined Quality Assurance Procedure

System Driven Best Project Practice

Scalability & Flexibility Of Resources


State-of-the Art-infrastructure


Qualified & Specialized Resources






## **ELECTRICAL ENGINEERING SERVICES**







APT.	CKT #	FromDevice	RAW LENGTH	TYPE	Route	ToDevice
2A	9	1.1	22.192	12/2-AC B)	ОН	15.1 [CKT#
2A	9	1.1	8.933	12/2-AC B)	OH	3 [LF.A]
2A	9	1.2	11.642	12/2-AC B)	OH	5 [LF.A]
2A	9	1.2	21.758	12/3-AC B)	OH	15.1 [CKT#
2A	4	12.1	16.817	12/2-AC B)	OH	10 [CKT#4
2A	4	12.1	11.917	12/2-AC B)	OH	11 [LF.G]
2A	4	12.2	8.267	12/2-AC B)	OH	8 [LF.F]
2A	6	13	15.275	12/2-AC B)	OH	2
2A	6	14	24.033	12/2-AC B)	OH	2
2A	6	14	8.442	12/2-AC B)	IW	17
2A	6	18	10.375	12/2-AC B)	IW	17
2A	6	10	18.558	12/2-AC B)	OH	19
2A	6	20	9.158	12/2-AC B)	IW	21
2A	6	20	27.05	12/2-AC B)	OH	19
2A	6	22	25.75	12/2-AC B)	OH	21
2A	5	24	7.1	12/2-AC B)	IW	23
2A	9	25,1	15.1	12/2-AC B)	IW	26 [LF.E]
2A	9	23.1	36.958	12/2-AC B)	OH	15.1 [CKT#
2A	10,12	31	5.192	10/3-AC B)	IW	30
2A	1		32.142	12/2-AC B)	OH	25.2
2A	10,12		24.233	10/3-AC B)	OH	30
2A	14,16		23.167	10/3-AC B)	OH	33
2A	2		26.317	12/2-AC B		29
2A	3		27.233	12/2-AC B	OH	28
2A	4	LC	4.758	12/2-AC B)	IW	12.2
2A	5		37.567	12/2-AC B)	OH	23
2A	6		19.825	12/2-AC B		2
2A	7		30.725	12/2-AC B	OH	27
2A	8		23.583	12/2-AC B)		32
2A	9		18.692	12/2-AC B	OH	15.2
			572.758			




- 1. Shop drawings
- 2. Prefabrication drawings
- 3. Quantity take off
- 4. Electrical fixture detailing/modeling
- 5. 3D electrical BIM modeling (containment, conduit, fixtures)





## **ELECTRICAL SHOP DRAWING**




The main objective of Shop drawing creation is to assign circuits and define electrical connection between devices, as per load center schedule.

Shop drawing creation is mainly done for systems like Power, Lighting, Fire Alarm, Extra Low Voltage.

Shop drawing generation include procedures like device placement, wire connection between devices, assigning circuit, Section drawing creation and so on.



## **ELECTRICAL PREFABRICATION DRAWING**



The main objective of Prefab drawing creation is to get quantity takeoff and to extract device properties from drawing.

Prefab drawing creation will be commenced after the submitted shop drawing gets approved.

Prefab drawing generation includes device address definition, wire drafting, assembly naming, Home run length details, Wire and device scheduling and so on.



# **QUANTITY TAKE OFF**


				PRE-	-FAB DEVICE SCHEDULE						
Quantity	ZONE	APT.	. DEVICE ID CIRCUIT NUMBER		ASSEMBLY TYPE	SPECIAL	BOX	FIRE	STOP	RAISE	COVER
1		2A	1.1 9		UD-L8-2-S,3W_120_15_1						
1		2A	1.2 9		UD-L8-2-S,3W_120_15_1						
1		2A	2 6		UD-L8-1-2R_120_15_1						
1		2A	3 [LF.A]	9	NO ASSEMBLY						
1		2A	4 [LF.B]	9	NO ASSEMBLY						
1		2A	5 [LF.A]	9	NO ASSEMBLY						
1		2A	6 [LF.A]	9	NO ASSEMBLY						
1		2A	7 [LF.A]	9	NO ASSEMBLY						
1		2A	8 [LF.F]	4	NO ASSEMBLY						
1		2A	9 [LF.F]	4	NO ASSEMBLY						
1		2A	10	4	WS-8-1-H-2GR_120_20_1						
1		2A	11 [LF.G]	4	NO ASSEMBLY						
1		2A	12.1	4	UD-R8-2-S,S_120_15_1						
1		2A	12.2	4	UD-R8-2-S,S_120_15_1						
1		2A	13	6	UD-LH-R						
1		2A	14	6	DGEM-2R_120_15_1						
1		2A	15.1	9	UD-L8-2-3W,S_120_15_1						
1		2A	15.2	9	UD-L8-2-3W,S_120_15_1						
1		2A	16 [LF.C]	9	NO ASSEMBLY						
1		2A	17	6	UD-L8-1-2R_120_15_1						
1		2A	18	6	UD-L8-1-2R_120_15_1						
1		2A	19	6	UD-R8-1-2R_120_15_1						
1		2A	20	6	UD-R8-1-2R_120_15_1						
1		2A	21	6	UD-R8-1-2R_120_15_1						
1		2A	22	6	UD-R8-1-2R_120_15_1						
1		2A	23	5	UD-L8-1-2R_120_15_1						
1		2A	24	5	DGEM-1R_120_20_1						
1		2A	25.1	9	WS-8-2-S,2GR_120_15_1						
1		2A	25.2	1	WS-8-2-S,2GR_120_15_1						
1		2A	26 [LF.E]	9	NO ASSEMBLY						
1		2A	27	7	UD-L8-1-1R_120_20_1						
1		2A	28	3	WS-8-1-2GR_120_15_1						
1		2A	29	2	UD-L8-1-1R_120_20_1						
1		2A	30	10,12	UD-L8-1-TS_250_30_2						
1		2A	31	10,12	NO ASSEMBLY						
1		2A	32	8	UD-L8-1-2R_120_15_1						
		2A	33	14,16	UD-L8-2-14_30R						
				·	0.000						

PRE-FAB WIRE SCHEDULE										
APT.	CKT #	FromDevice	RAW LENGTH	TYPE	Route	ToDevice				
2A	9	1.1	22.192	12/2-AC BX	OH	15.1 [CKT#9]				
2A	9	1.1	8.933	12/2-AC BX	ᆼ	3 [LF.A]				
2A	9	1.2	11.642	12/2-AC BX	ОН	5 [LF.A]				
2A	9	1.2	21.758	12/3-AC BX	ОН	15.1 [CKT#9]				
2A	4	12.1	16.817	12/2-AC BX	ÖH	10 [CKT#4]				
2A	4	12.1	11.917	12/2-AC BX	OH	11 [LF.G]				
2A	4	12.2	8.267	12/2-AC BX	OH	8 [LF.F]				
2A	6	13	15.275	12/2-AC BX	OH	2				
2A	6	14	24.033	12/2-AC BX	OH	2				
2A	6	14	8.442	12/2-AC BX	IW	17				
2A	6	18	10.375	12/2-AC BX	IW	17				
2A	6	10	18.558	12/2-AC BX	OH	19				
2A	6	20	9.158	12/2-AC BX	IW	21				
2A	6	20	27.05	12/2-AC BX	ОН	19				
2A	6	22	25.75	12/2-AC BX	ОН	21				
2A	5	24	7.1	12/2-AC BX	IW	23				
2A	9	25.1	15.1	12/2-AC BX	IW	26 [LF.E]				
2A	9	23.1	36.958	12/2-AC BX	ᆼ	15.1 [CKT#9]				
2A	10,12	31	5.192	10/3-AC BX	IW	30				
2A	1		32.142	12/2-AC BX	ОН	25.2				
2A	10,12		24.233	10/3-AC BX	ОН	30				
2A	14,16		23.167	10/3-AC BX	OH	33				
2A	2		26.317	12/2-AC BX	Ö	29				
2A	3		27.233	12/2-AC BX	ОН	28				
2A	4	LC	4.758	12/2-AC BX	IW	12.2				
2A	5		37.567	12/2-AC BX	OH	23				
2A	6		19.825	12/2-AC BX	OH	2				
2A	7		30.725	12/2-AC BX	OH	27				
2A	8		23.583	12/2-AC BX	OH	32				
2A	9		18.692	12/2-AC BX	OH	15.2				
			572.758							

The main objective of Quantity take off is to review and estimate the physical materials and their takeoff information, in order to execute the site installation efficiently.

Scheduling can be customized and generated based on client requirement.


## **ELECTRICAL FIXTURE MODELING/ DETAILING**





The electrical fixtures like receptacles, switches, lights can be modeled with the required Level of Detailing, based on the client's requirement.



## 3D ELECTRICAL BIM MODELING







Electrical BIM modeling includes 3D modeling of cable trays, conduits, panels, switches, receptacles, lights and so on.

Clash detection and Coordination of Electrical BIM model with other trades can also be performed.

Coordination drawings based on client requirement can also be generated.

### BIM CONSULTING SERVICES

Since 2007, we have been assisting construction companies, general & specialty contractors in their migration to BIM from CAD. We act as a strategic BIM partner to the client educating and training them for seamless migration from CAD drafting to BIM implementation.


**BIM MODEL AUDIT** 

**OFFSHORE BIM TEAM** 

**BIM IMPLEMENTATION PLANNING** 

**BIM TRAINING** 


**ON-SITE BIM SUPPORT** 





### **OUR DETAILING PROCEDURE**

#### **OUR APPROACH**



**Understanding Client Requirements:** With every client, we understand that a different approach may need to be employed with every project, bringing a new set of skills and technology to the table. We devote the time needed to study the objective of the project.

**Delivering Solutions:** To achieve the goals of the project, our engineers adopt the most appropriate methods, outdoing themselves. Our work is to follow a system driven process incorporating the latest methods in the BIM industry which ensures projects are delivered on time and are nothing short of the highest quality.


Constant Improvement: The engineering team, led by highly capable and seasoned project managers tirelessly learn, research and update themselves to meet the ever-changing and dynamic demands of the AEC industry. Systematic knowledge sharing and perfection of the work process is an ongoing process in Advenser. With every project, we see to it that we always make room for innovation.

Our Promise: Client satisfaction is a promise we assure and we measure our successes on par with that of our client's. We take pride in our past glory & achievements but at the same time strive to make them nothing more than mere milestones in our pursuit of excellence.





## **TEAM PROFICIENCY & SOFTWARE PROFICIENCY\_**






#### Park Hill City Airs, Jamaica Queens, New York







#### 77 Commercial Street, Brooklyn, NY









#### Archer Tower Development, Jamaica, New York

			RE-FAB WIRE				NAMES OF TAXABLE PARTY.	YT19540F7877	Water works	C-risk (Model Edward)	TIPICIAL HINDRIC Y	CATALOG POLE
	CKT # I	rombevice	RAW LENGTH	* TYPE	Route	ToDevice	Sandy Second		Joseph James L.	NO. 40 (2000)	-	NC-100N-1908
5A		10	6.767		BIR OH	9	1-1-12					_
5A.	- 5	14	7.167		EX CH	16.	110			10-0-4		
5A	- 8	15	5.725	12/2-MC	DX N	9	1 5	TERMINE.		NC ACRESCO.		
SA	10	17	31.4	12/2-MC	GX PW	12	1-1-1-12	$+\omega$			-	-
SA.	5	18.	5.617	12/2-WC	(EX DW	16	1 19			WEST-DESIGNATION		
SA.	- 4	19	28.333	12/2-WC	BX CH	20	1 12	1-1-	$\rightarrow$	10-14-1-15-131-20-1		_
5A	- 2	2	8.733	12/2-MC	BX OH	1 [U.A]				989-104-31-31-10		
5A	- 6	22	4,725	12/3-WC	Ex tw	21				10-58-1-18-25-25-1		_
SA.	- 4	23	36.725	12/2-MC	EX OH	19	1 1 1 1 3	doribet.	-7-	NO 402464		_
SA.	-6.	2.5	7.175	12/3-MC	Ex 38	22	19		-	3009-208_131_20_1 (C)		
5A	.1	25	17.767	12/3-MC	EX CH	35	1	1-2-		W1-8-1-9-20008_101_00_	-	_
5A	.1	4.5	5.25	12/2-MC	(CK (M)	26	1 1 1 5	9	14	(0-Q-1-20, Q1, 15, 1		
5A	1	26	9.658	12/2-MC	GIX: 1W	28	1 1 2	1	-	一种:大工大學一段一次		
5A.	- 3		26.708	12/2-MC	BX CH	36-	1 1 1 1 3	1-2-1		B-G-T-SCOLTCT		-
5A	- 5	3	20.433	12/2-MC	BR CRI	41	1 19			M-18-1-128, GH, 15-1		
5A	1	30	6.842		CX rw	29		$H \rightarrow H \rightarrow H$		The second second		_
SA	1	31	4.675	12/3-MC	(Ex 100	30	1116			No. of Concession, Name of Street, or other Persons, Name of Street, Name of S		_
5A	2		30.533		EX CH	2 [CXT#2]	19	2	-1	10-11-10-126-13-1		_
SA.	2	32	5.642	12/2-MC	Ex Iw	33 [UF]	1 1 1 2	+9+	17.0	W 400 W		-
SA	1	34	.842	12/3-MC	(Ex tw	31	13			(0-88-1-24, (20, 1), 1		
SA	1	35	19.65	12/5-MC	EX CH	34	1-1-12	H-0-		30-18-1-F-28088 120-15	1	_
5A	11	38	4 833	112/2-MC	(Ex THE	37	15			8-48-1-34-136-17-1	1	
5A	2		4.375	12/3-MC	EN CH	24	1 12	Sugar	_	05-44-1-1, (6), (4, 1		_
5A	2	4	9.858		BX CH	6.1	1 1 1 5	110.864	_	10-48-1-28, 121, 15, 1		_
SA	13	40A	13.425		Ex (w	406	1 19	1 3 1		10-58-1-8-58-5-1		
SA	-6	-2.2	13 242		EX CH	44 [LF.D]	1-1-12	H-0			-	
5A	6	42.1	16.55	12/2-MC	EX CH	45 [CKT#6]	1 1 3		- 11	10-48-1-9, 18, 15, 1		
5A	6	42.2	8.617		SN CH	43 [U/6]		1	12,14	32-14-2-14-30 200-2-14-30		_
5A	2		10.8		SX CH	3 [V 1] 2 [CHT22] 13 [V 8]	1 1 1 6	1 20	15	100 St St St St		_
5A	2	6.1	13.483	11272-MC	Ex to	2 [CKT#2]	1 3	45		(0-49-1-24, 120, 75, 1		
5A	2	6.2	19.925	112/2-MC	EX CH	13 (1/9)	1 13	1 21			-	-
SA	3	7	18.175		EN CH	36	Энегория	s ka	-			
SA.	1		23.367		SX CH	38 25		HH WAL		Material Control		_
5A	10		29.825		GH CH	12	# 1	-	-	CONTRACTOR OF THE PERSON NAMED IN		
5A	11		20.075		EX CH	37						
54	12,14		18.467		EN CH	39						
5A	13		14.958		GH CH	400						
5A	17.19		28.7		ES CH	27						
5A	3		17.633		SIX CH	2						
3A	3	LC.	15.608		SE CH	41						
SA.	4		23.292	and the Committee of the	Bix Cer	23						
SA.	5		34.683		Ex Cov	16						
SA	6		13.5		Bill CH	42.1						
SA.	2		26.325		BX CH	11						
154			26,258	12/2-MC	Contract Contract	9						
SA.	9		25.017	12/2-WC		8						
			721.558	and an interest to the state of the	The second							







#### Bend Lapine High School, Oregon







#### **CONTACT US**

**Advenser Technology Services, Inc.** 

Five Neshaminy Interplex, STE 205 Trevose, PA 19053, USA Phone: +1 (215) 791 7955

**Advenser LLC** 

Five Neshaminy Interplex, STE 205 Trevose, PA 19053, USA Phone: +1 (215) 934 2868

**Advenser Engineering Services Pvt. Ltd.** 

43 A, E block, 4F CSEZ, Kakkanad Kochi, Kerala, India. Pin 682 037 Phone: +91 484 298 8448

**Advenser Engineering Systems LLC** 

P.O. Box No: 118901, Dubai, UAE

Phone: +971 50 237 7430

**Advenser Engineering Services Pty. Ltd.** 

Unit 26, 14 Jubilee Avenue Warriewood NSW 2102, Australia

Phone: +61 363 877 090

**Advenser Engineering Services Pvt. Ltd.** 

403, 4F, Lulu Cyber Tower 1, Infopark Kochi, Kerala, India. Pin 682 042

Phone: +91 484 404 0708









## **THANK YOU**



