



COMPANY OVERVIEW

Advenser is a multinational, multidisciplinary engineering company delivering high-value solutions to the architecture, engineering, and construction (AEC) sector through integrated VDC/BIM workflows, advanced digital technologies, and innovative engineering practices. Since 2007, we have been supporting complex projects internationally, earning a proven reputation for technical rigor, delivery reliability, and sustained growth.

MISSION

Delivering smart, scalable engineering solutions that improve project efficiency and environmental performance.

VISION

To play a defining role in shaping a smarter and more efficient built environment—driven by technology, talent, and trust.

CORE FOCUS

Delivering solutions designed for change, adaptive, scalable, and future-ready.



1K+
CLIENTS



20+
COUNTRIES



10K+
PROJECTS



300+
PEOPLE



ADVENSER DIFFERENTIATORS



Proven Expertise and Global Presence

Serving clients worldwide with a proven track record of successfully delivering complex projects.



Strong Focus on Quality and Accuracy

Multi-tiered quality checks ensure precise, error-free deliverables every time.



Flexible and Scalable Resource Pool

Easily scale teams up or down to match changing project needs without delays.



Competitive Pricing and Cost Predictability

Transparent, cost-effective pricing structures with no hidden surprises.



Technology-Driven Processes

Advanced tools and automation streamline workflows and maximize productivity.



Client-Centric Engagement

Personalized service and proactive communication tailored to your project goals.



Domain-Specific Teams

Dedicated specialists with deep industry knowledge for domain-specific solutions.



Robust Data Security

Strict compliance with global data protection standards to safeguard your information.



Onshore-Offshore Hybrid Support

A balanced delivery model that blends local presence with global execution strengths.




Commitment to Continuous Improvement



Continuous process enhancements to increase efficiency and deliver greater value.



OUR CLIENT BASE



ELECTRICAL ENGINEERING SERVICES



PRE-FAB WIRE SCHEDULE									
APT.	CKT #	FromDevice	RAW LENGTH	TYPE	Route	ToDevice			
2A	9	1.1	22.192	12/2-AC BX	OH	15.1	[CKT#9]		
2A	9		8.933	12/2-AC BX	OH	3	[LF.A]		
2A	9		11.642	12/2-AC BX	OH	5	[LF.A]		
2A	9	1.2	21.758	12/3-AC BX	OH	15.1	[CKT#9]		
2A	4		16.817	12/2-AC BX	OH	10	[CKT#4]		
2A	4	12.1	11.917	12/2-AC BX	OH	11	[LF.G]		
2A	4		8.267	12/2-AC BX	OH	8	[LF.F]		
2A	6	13	15.275	12/2-AC BX	OH	2			
2A	6	14	24.033	12/2-AC BX	OH	2			
2A	6		8.442	12/2-AC BX	IW	17			
2A	6		10.375	12/2-AC BX	IW	17			
2A	6	18	18.558	12/2-AC BX	OH	19			
2A	6		9.158	12/2-AC BX	IW	21			
2A	6	20	27.05	12/2-AC BX	OH	19			
2A	6	22	25.75	12/2-AC BX	OH	21			
2A	5	24	7.1	12/2-AC BX	IW	23			
2A	9	25.1	15.1	12/2-AC BX	IW	26	[LF.E]		
2A	9		36.958	12/2-AC BX	OH	15.1	[CKT#9]		
2A	10,12		31	5.192	10/3-AC BX	IW	30		
2A	1	LC	32.142	12/2-AC BX	OH	25.2			
2A	10,12		24.233	10/3-AC BX	OH	30			
2A	14,16		23.167	10/3-AC BX	OH	33			
2A	2		26.317	12/2-AC BX	OH	29			
2A	3		27.233	12/2-AC BX	OH	28			
2A	4		4.758	12/2-AC BX	IW	12.2			
2A	5		37.567	12/2-AC BX	OH	23			
2A	6		19.825	12/2-AC BX	OH	2			
2A	7	LC	30.725	12/2-AC BX	OH	27			
2A	8		23.583	12/2-AC BX	OH	32			
2A	9		18.692	12/2-AC BX	OH	15.2			
			572.758						




1. Shop drawings

2. Prefabrication drawings


3. Quantity take off

4. Electrical fixture detailing/modeling

5. 3D electrical BIM modeling
(containment, conduit, fixtures)



ELECTRICAL SHOP DRAWING




The main objective of Shop drawing creation is to assign circuits and define electrical connection between devices, as per load center schedule.

Shop drawing creation is mainly done for systems like Power, Lighting, Fire Alarm, Extra Low Voltage.

Shop drawing generation include procedures like device placement, wire connection between devices, assigning circuit, Section drawing creation and so on.



ELECTRICAL PREFABRICATION DRAWING



The main objective of Prefab drawing creation is to get quantity takeoff and to extract device properties from drawing.

Prefab drawing creation will be commenced after the submitted shop drawing gets approved.

Prefab drawing generation includes device address definition, wire drafting, assembly naming, Home run length details, Wire and device scheduling and so on.



QUANTITY TAKE OFF

PRE-FAB DEVICE SCHEDULE								
Quantity	ZONE	APT.	DEVICE ID	CIRCUIT NUMBER	ASSEMBLY TYPE	SPECIAL BOX	FIRE STOP	RAISE COVER
1		2A	1.1	9	UD-L8-2-S,3W_120_15_1			
1		2A	1.2	9	UD-L8-2-S,3W_120_15_1			
1		2A	2	6	UD-L8-1-2R_120_15_1			
1		2A	3 [L.F.A]	9	NO ASSEMBLY			
1		2A	4 [L.F.B]	9	NO ASSEMBLY			
1		2A	5 [L.F.A]	9	NO ASSEMBLY			
1		2A	6 [L.F.A]	9	NO ASSEMBLY			
1		2A	7 [L.F.A]	9	NO ASSEMBLY			
1		2A	8 [L.F.F]	4	NO ASSEMBLY			
1		2A	9 [L.F.F]	4	NO ASSEMBLY			
1		2A	10	4	WS-8-1-H-2GR_120_20_1			
1		2A	11 [L.F.G]	4	NO ASSEMBLY			
1		2A	12.1	4	UD-R8-2-S,S_120_15_1			
1		2A	12.2	4	UD-R8-2-S,S_120_15_1			
1		2A	13	6	UD-LH-R			
1		2A	14	6	DGEM-2R_120_15_1			
1		2A	15.1	9	UD-L8-2-3W,S_120_15_1			
1		2A	15.2	9	UD-L8-2-3W,S_120_15_1			
1		2A	16 [L.F.C]	9	NO ASSEMBLY			
1		2A	17	6	UD-L8-1-2R_120_15_1			
1		2A	18	6	UD-L8-1-2R_120_15_1			
1		2A	19	6	UD-R8-1-2R_120_15_1			
1		2A	20	6	UD-R8-1-2R_120_15_1			
1		2A	21	6	UD-R8-1-2R_120_15_1			
1		2A	22	6	UD-R8-1-2R_120_15_1			
1		2A	23	5	UD-L8-1-2R_120_15_1			
1		2A	24	5	DGEM-1R_120_20_1			
1		2A	25.1	9	WS-8-2-S,2GR_120_15_1			
1		2A	25.2	1	WS-8-2-S,2GR_120_15_1			
1		2A	26 [L.F.E]	9	NO ASSEMBLY			
1		2A	27	7	UD-L8-1-1R_120_20_1			
1		2A	28	3	WS-8-1-2GR_120_15_1			
1		2A	29	2	UD-L8-1-1R_120_20_1			
1		2A	30	10,12	UD-L8-1-TS_250_30_2			
1		2A	31	10,12	NO ASSEMBLY			
1		2A	32	8	UD-L8-1-2R_120_15_1			
		2A	33	14,16	UD-L8-2-14_30R			
					0.000			

PRE-FAB WIRE SCHEDULE						
APT.	CKT #	FromDevice	RAW LENGTH	TYPE	Route	ToDevice
2A	9	1.1	22.192	12/2-AC BX	OH	15.1 [CKT#9]
2A	9		8.933	12/2-AC BX	OH	3 [L.F.A]
2A	9	1.2	11.642	12/2-AC BX	OH	5 [L.F.A]
2A	9		21.758	12/3-AC BX	OH	15.1 [CKT#9]
2A	4	12.1	16.817	12/2-AC BX	OH	10 [CKT#4]
2A	4		11.917	12/2-AC BX	OH	11 [L.F.G]
2A	4	12.2	8.267	12/2-AC BX	OH	8 [L.F.F]
2A	6	13	15.275	12/2-AC BX	OH	2
2A	6	14	24.033	12/2-AC BX	OH	2
2A	6		8.442	12/2-AC BX	IW	17
2A	6	18	10.375	12/2-AC BX	IW	17
2A	6		18.558	12/2-AC BX	OH	19
2A	6	20	9.158	12/2-AC BX	IW	21
2A	6		27.05	12/2-AC BX	OH	19
2A	6	22	25.75	12/2-AC BX	OH	21
2A	5	24	7.1	12/2-AC BX	IW	23
2A	9		15.1	12/2-AC BX	IW	26 [L.F.E]
2A	9	25.1	36.958	12/2-AC BX	OH	15.1 [CKT#9]
2A	10,12	31	5.192	10/3-AC BX	IW	30
2A	1	LC	32.142	12/2-AC BX	OH	25.2
2A	10,12		24.233	10/3-AC BX	OH	30
2A	14,16		23.167	10/3-AC BX	OH	33
2A	2		26.317	12/2-AC BX	OH	29
2A	3		27.233	12/2-AC BX	OH	28
2A	4		4.758	12/2-AC BX	IW	12.2
2A	5		37.567	12/2-AC BX	OH	23
2A	6		19.825	12/2-AC BX	OH	2
2A	7		30.725	12/2-AC BX	OH	27
2A	8		23.583	12/2-AC BX	OH	32
2A	9		18.692	12/2-AC BX	OH	15.2
			572.758			


The main objective of Quantity take off is to review and estimate the physical materials and their takeoff information, in order to execute the site installation efficiently.

Scheduling can be customized and generated based on client requirement.





ELECTRICAL FIXTURE MODELING/ DETAILING

The electrical fixtures like receptacles, switches, lights can be modeled with the required Level of Detailing, based on the client's requirement.



A 3D perspective rendering of a cable management system. The image shows a dense arrangement of cables, primarily yellow and grey, organized into a structured, grid-like layout. The cables are bundled together and run parallel to each other, with some crossing over others. The system is mounted on a grey, stepped structure that resembles a building's exterior or a large industrial panel. Red lines are visible on the grey structure, possibly indicating mounting points or structural boundaries. The overall impression is one of a highly organized and professional installation.



Coordination drawings based on client requirement can also be generated.



BIM CONSULTING SERVICES

Since 2007, we have been assisting construction companies, general & specialty contractors in their migration to BIM from CAD. We act as a strategic BIM partner to the client educating and training them for seamless migration from CAD drafting to BIM implementation.


BIM MODEL AUDIT

OFFSHORE BIM TEAM


BIM IMPLEMENTATION PLANNING

BIM TRAINING

ON-SITE BIM SUPPORT



OUR DETAILING PROCEDURE



OUR APPROACH

Understanding Client Requirements: With every client, we understand that a different approach may need to be employed with every project, bringing a new set of skills and technology to the table. We devote the time needed to study the objective of the project.


Delivering Solutions: To achieve the goals of the project, our engineers adopt the most appropriate methods, outdoing themselves. Our work is to follow a system driven process incorporating the latest methods in the BIM industry which ensures projects are delivered on time and are nothing short of the highest quality..

Constant Improvement: The engineering team, led by highly capable and seasoned project managers tirelessly learn, research and update themselves to meet the ever-changing and dynamic demands of the AEC industry. Systematic knowledge sharing and perfection of the work process is an ongoing process in Advenser. With every project, we see to it that we always make room for innovation.

Our Promise: Client satisfaction is a promise we assure and we measure our successes on par with that of our client's. We take pride in our past glory & achievements but at the same time strive to make them nothing more than mere milestones in our pursuit of excellence.



TEAM PROFICIENCY & SOFTWARE PROFICIENCY



Revit Suite



BIM 360



AutoCAD



LogiKal



AutoCAD 360
PRO



Autodesk
Inventor



Navisworks
Manage



MagiCAD



ReCapture



Civil 3D



Building Data




Construction
Cloud



FEA

Park Hill City Airs, USA



FEATURED PROJECTS

77 Commercial Street, USA



FEATURED PROJECTS


Archer Tower Development, USA

PRE-FAB WORK SCHEDULE					
APT. / CKT #	From Device	RAW LENGTH	Type	Route	To Device
SA 8	10	6.767	12/2-MC BX OH		9
SA 5	14	7.167	12/2-MC BX OH		16
SA 8	15	5.725	12/2-MC BX OH		9
SA 10	17	11.4	12/2-MC BX OH		12
SA 5	18	5.617	12/2-MC BX OH		16
SA 4	19	28.533	12/2-MC BX OH		20
SA 2	2	8.733	12/2-MC BX OH	1 (U/A)	
SA 4	22	4.725	12/3-MC BX OH		31
SA 4	23	36.725	12/2-MC BX OH		19
SA 4		7.175	12/3-MC BX OH		22
SA 1	25	17.767	12/2-MC BX OH		35
SA 1		5.25	12/2-MC BX OH		24
SA 1	26	9.658	12/2-MC BX OH		28
SA 3		26.708	12/2-MC BX OH		36
SA 3	3	20.433	12/2-MC BX OH		41
SA 1	30	6.842	12/2-MC BX OH		29
SA 1	31	4.675	12/3-MC BX OH		30
SA 2	32	30.533	12/2-MC BX OH	2 (CKT#2)	
SA 2		5.442	12/2-MC BX OH	33 (U/F)	
SA 1	34	8.2	12/3-MC BX OH		31
SA 1	35	19.65	12/2-MC BX OH		34
SA 11	38	4.833	12/2-MC BX OH		37
SA 2		4.375	12/3-MC BX OH		24
SA 2	4	9.858	12/2-MC BX OH		6.1
SA 13	40A	13.425	12/2-MC BX OH		40B
SA 6	42.1	13.242	12/2-MC BX OH	44 (U/F)	
SA 6		16.55	12/2-MC BX OH	45 (CKT#4)	
SA 6	42.2	8.617	12/2-MC BX OH	43 (U/F)	
SA 2		10.8	12/2-MC BX OH	5 (U/F)	
SA 2	6.1	13.483	12/2-MC BX OH	2 (CKT#2)	
SA 2	6.2	19.925	12/2-MC BX OH	13 (U/F)	
SA 3	7	18.175	12/2-MC BX OH		36
SA 1		23.367	12/2-MC BX OH		25
SA 10		29.825	12/2-MC BX OH		12
SA 11		20.075	12/2-MC BX OH		37
SA 12-14		18.467	10/3-MC BX OH		39
SA 13		14.958	12/2-MC BX OH		40B
SA 17-19		28.7	12/3-MC BX OH		27
SA 2		17.833	12/2-MC BX OH		2
SA 3		15.608	12/2-MC BX OH		41
SA 4		23.292	12/2-MC BX OH		23
SA 5		34.683	12/2-MC BX OH		16
SA 6		13.5	12/2-MC BX OH		42.1
SA 7		26.325	12/2-MC BX OH		11
SA 8		26.258	12/2-MC BX OH		9
SA 9		25.017	12/2-MC BX OH		8
		721.558			



FEATURED PROJECTS

Bend Lapine High School, USA



CONTACT US



USA

Five Neshaminy Interplex, STE 205
Trevose, PA 19053, USA

Phone: +1 (215) 934 2868

1341 W. Mockingbird Lane, STE 600W
Dallas, TX 75247, USA

Phone: +1 (215) 934 2868



UAE

P.O. Box No: 118901,
Dubai, UAE

Phone: +971 50 237 7430



INDIA

43 A, E block, 4F CSEZ, Kakkanad
Kochi, Kerala, India. Pin 682 037

Phone: +91 484 298 8448

403, 4F, Lulu Cyber Tower 1, Infopark
Kochi, Kerala, India. Pin 682 042

Phone: +91 484 404 0708

7th Floor, Commerce Mantri, 12, 1 & 2,
Bannerghatta rd, BTM Layout, Bengaluru.
Pin: 560 076

Phone: +91 890 456 9211



AUSTRALIA

C/- OPLEX, Governor Macquarie Tower
Level 15, 1 Farrer Place, Sydney
NSW 2000, Australia.

Phone: +61 363 877 090



GERMANY

Dr. Ulrich Dietz

Email: udietz@advenser.net

Phone: +49 7724 915924-0



www.advenser.com



info@advenser.com

THANK YOU

